

CE-ART 7/G+ guard unit



Reference: CE-ART 7/G+
Product code: 12379703
EAN code: 8429898024608



Main characteristics

- TCP/IP protocol "G+" digital installation.
- Housing made of white ABS plastic.
- 7" touch screen.
- Surface or desktop installation with SOB-UNI support.
- High efficiency speakers.

Dimensions: 262(W) x 154(H) x 31(D) mm.

More information

- Virtual keyboard for call dialing.
- Call to other monitors or concierge units.
- Image memory and call list.
- Outdoor panel tracking function and CCTV IP camera tracking.
- Direct door opening button.
- Messaging service for short text messages and emergency broadcast messages.
- Monitoring of ONVIF protocol CCTV cameras (up to 32).
- Camera for viewing from tenants to janitor during conversation.
- Notification of alarms that have occurred in apartments.
- Event registration.
- Connection via RJ-45 connector.

Visit in the website: <https://www.golmar.es/products/ce-art-7-g-plus>

Specifications	
Type of device	Video
Serie	ART
Mounting	Surface
Audio of communication	Dual handset hands-free
Call type	Call forwarding,Individual call
Vocal messages	Yes
Available languages	English,Spanish,Portuguese
Ringtones	6
Speaker power (W)	1.5
Intercom	All the installation
Integrated camera	No
Integrated WiFi	No
Remote Access / App	Web
Operation	Touch Screen
Inductive loop	No
Guidance LEDs	Yes
Size (inches)	7
Resolution	1024x600 px
Minimum illumination (lux)	420
Response time (ms.)	25
Number of colors (Mill.)	16.7
Video format	HDTV1
Format / Video Compression	H.264
Log of calls	Yes
Management software	Yes
Programming	Computer,From the own device
HW platform	Android
Protocols	TCP / IP
Internal storage	100 images
Memory Image	Yes
Volume settings.	1
Input voltage (V)	12Vcc,PoE,18Vcc
Requires additional feeder	No
Rest consumption (W)	4.4
Max. consumption (W)	6.5
Installation	UTP
Max. (M)	100
Compatibility	ONVIF,Golmar,IP SIP,VoIP
Technology	IP G +
Functions	Do not disturb,Date - On-screen,Auto start,Lift control
Inputs	HZ
Outputs	Auxiliary ringer,12Vdc
Removable connectors	Yes
Built-in microphone	Yes
Microphone sensitivity (DB)	40
Certifications	CE, ROHS
Degree of protection (IP)	30
Relative humidity work (max.)	90
Relative humidity Work (min.)	10
Maximum working temperature (°C)	40
Minimum working temperature (°C)	-10
Mounting frame included	Yes
Material	ABS plastic
Dimensions - Width (mm)	262
Dimensions - High (mm)	154
Dimensions - Deep (mm)	31
Colour	White
Weight (gr.)	500

Accessories

- SOB-UNI table stand

Visit in the website: <https://www.golmar.es/products/ce-art-7-g-plus>

Visit in the website: <https://www.golmar.es/products/ce-art-7-g-plus>